

**Resolution 2024-089**

**A Resolution Approving the Donation of Fire Equipment to the Franklin Township Fire Department**

The Board of Trustees of Franklin Township, Franklin County, Ohio, met in person in a Regular Meeting at 12:00 p.m. on Thursday, June 27, 2024. The trustee marked below made a motion for the adoption of the following Resolution: (check one)

**Leezer**

**Fleshman**

**Blevins**

**BE IT RESOLVED** by the Board of Trustees of Franklin Township, Franklin County, Ohio, that the Board approves the donation of \$13,999.00 of fire equipment to the Franklin Township Fire Department from Buckeye Pipeline. (Exhibit A)

**BE IT FURTHER RESOLVED** that all formal actions of the Board concerning and relating to this Resolution were passed in an open meeting of the Board, and that all deliberations of this Board and any of its committees that resulted in such formal action were in a meeting open to the public, in compliance with all legal requirements including Section 121.22 of the Ohio Revised Code.

**BE IT FURTHER RESOLVED** that this Resolution shall be deemed an emergency and in full force and effect immediately upon its adoption.

*The following trustee marked below seconded the motion: (check one)*


**Leezer**


**Fleshman**

**Blevins**

*Roll was called for the adoption of the Resolution, and the vote was as follows:*

**Leezer:**  YES/  NO    **Fleshman:**  YES/  NO    **Blevins:**  YES/  NO

  
Trustee James Leezer

  
Trustee John Fleshman

  
Trustee Mike Blevins

*Attested to on this 27th day of June 2024  
Adopted on June 27<sup>th</sup>, 2024*

  
Fiscal Officer, Linzie Justus



## Steven Mazer

---

**From:** Robert Arnold  
**Sent:** Friday, June 21, 2024 9:48 AM  
**To:** Steven Mazer  
**Subject:** Equipment donation from Buckeye Pipeline  
**Attachments:** Nozzle hose and Pro Pak Quote.pdf

Steve,

This is the thread from the oil fellas whom are donating some equipment. I have re-attached the quote I got from our vendor so you have a ballpark estimate on price.

Please put it on the agenda for next Thursday's meeting for the Trustees' approval. And let me know if you have any questions or concerns.

Thanks!

Bob

---

**From:** Jakubowski, Greg <GJakubowski@buckeye.com>  
**Sent:** Thursday, June 20, 2024 6:23 AM  
**To:** Robert Arnold <RArnold@franklin-township.com>  
**Cc:** Carrizales, Justin <JCarrizales@buckeye.com>; Potter, Eric <EPotter@buckeye.com>  
**Subject:** RE: Franklin Fire

Bob,

Sounds good, thank you.

Justin – go ahead and place the order w/Hayden

Greg Jakubowski, PE, CSP, FSFPE  
Sr. Engineer – Fire Protection  
Asset Reliability and Engineering Services (ARES)  
Buckeye Partners, L.P.  
The Buckeye Building | 6161 Hamilton Blvd. | Allentown PA 18106  
Mobile – 484-553-9538

“I’m bored by 20<sup>th</sup> Century solutions to 21<sup>st</sup> Century Challenges” – Dave Wakeling





**From:** Robert Arnold <RArnold@franklin-township.com>  
**Sent:** Tuesday, June 18, 2024 9:16 AM  
**To:** Jakubowski, Greg <GJakubowski@buckeye.com>  
**Cc:** Carrizales, Justin <JCarrizales@buckeye.com>; Potter, Eric <EPotter@buckeye.com>  
**Subject:** Re: Franklin Fire

**WARNING: This email originated outside of Buckeye Partners, L.P.  
DO NOT CLICK links or attachments unless you recognize the sender and know the content is safe.  
If you have any questions please contact the Buckeye Partners service desk.**

Greg,

Any 5" rubber, firefighting supply hose with stortz coupling would suffice. We would prefer yellow if possible.

Thanks!

Get [Outlook for iOS](#)

---

**From:** Jakubowski, Greg <GJakubowski@buckeye.com>  
**Sent:** Tuesday, June 18, 2024 8:48:25 AM  
**To:** Robert Arnold <RArnold@franklin-township.com>  
**Cc:** Carrizales, Justin <JCarrizales@buckeye.com>; Potter, Eric <EPotter@buckeye.com>  
**Subject:** Fwd: Franklin Fire

Bob,

Hayden is already a Buckeye vendor which makes it easier for us to purchase from. Looks like the nozzles and Propaks are the same item but the hose they are proposing is different than what you were looking for. Are you ok with the product change? If not, we can probably buy the nozzles and Propaks from Hayden and figure out the hose purchase from your vendor

Sorry for the confusion but let us know what works for you and Justin will make it happen.

Greg

Get [Outlook for iOS](#)

**From:** Jonathan Walker <[jon@haydencompany.com](mailto:jon@haydencompany.com)>  
**Sent:** Tuesday, June 18, 2024 8:37:07 AM  
**To:** Jakubowski, Greg <[GJakubowski@buckeye.com](mailto:GJakubowski@buckeye.com)>  
**Cc:** Carrizales, Justin <[JCarrizales@buckeye.com](mailto:JCarrizales@buckeye.com)>  
**Subject:** RE: Franklin Fire

**WARNING: This email originated outside of Buckeye Partners, L.P.  
DO NOT CLICK links or attachments unless you recognize the sender and know the content is safe.  
If you have any questions please contact the Buckeye Partners service desk.**

Greg-

Please see the attached. It looks like we're pretty close on pricing except the hose. Our fire hose is a touch higher but the other items I can get a touch better price.

Let me know if you have any questions.  
Thanks,

**Jon Walker**  
Eastern Region Territory Manager/Specialist  
Hayden and Company  
[WWW.HAYDENCOMPANY.COM](http://WWW.HAYDENCOMPANY.COM)  
Cell Phone: 724-561-2113

**From:** Jakubowski, Greg <[GJakubowski@buckeye.com](mailto:GJakubowski@buckeye.com)>  
**Sent:** Monday, June 17, 2024 3:10 PM  
**To:** Jonathan Walker <[jon@haydencompany.com](mailto:jon@haydencompany.com)>  
**Cc:** Carrizales, Justin <[JCarrizales@buckeye.com](mailto:JCarrizales@buckeye.com)>  
**Subject:** Fwd: Franklin Fire

Jon

Can you price this for us? Send to myself and Justin

Greg

[Get Outlook for iOS](#)

---

**From:** Robert Arnold <[RArnold@franklin-township.com](mailto:RArnold@franklin-township.com)>  
**Sent:** Monday, June 17, 2024 8:54:33 AM  
**To:** Carrizales, Justin <[JCarrizales@buckeye.com](mailto:JCarrizales@buckeye.com)>; Jakubowski, Greg <[GJakubowski@buckeye.com](mailto:GJakubowski@buckeye.com)>; Potter, Eric <[EPotter@buckeye.com](mailto:EPotter@buckeye.com)>  
**Subject:** Re: Franklin Fire

**WARNING: This email originated outside of Buckeye Partners, L.P.  
DO NOT CLICK links or attachments unless you recognize the sender and know the content is safe.  
If you have any questions please contact the Buckeye Partners service desk.**

Sorry about that...Try this one.

Respectfully,

*Bob Arnold*

Fire Chief  
Franklin Fire  
Office: 614-279-1537  
Cell: 614-214-8442



---

**From:** Carrizales, Justin <[JCarrizales@buckeye.com](mailto:JCarrizales@buckeye.com)>  
**Sent:** Friday, June 14, 2024 3:39 PM  
**To:** Robert Arnold <[RArnold@franklin-township.com](mailto:RArnold@franklin-township.com)>; Jakubowski, Greg <[GJakubowski@buckeye.com](mailto:GJakubowski@buckeye.com)>; Potter, Eric <[EPotter@buckeye.com](mailto:EPotter@buckeye.com)>  
**Subject:** RE: Franklin Fire

Hey Bob, I don't think the attachment went through. Can you send it to me one more time?

Thank you,

Justin Carrizales



Senior Project Manager  
Buckeye Partners, LP  
4200 Westheimer Road Suite 975 | Houston, Texas 77027  
[JCarrizales@buckeye.com](mailto:JCarrizales@buckeye.com)  
M: 832.730.8171  
O: 832.214.6613  
P: 830.822.8032



**From:** Robert Arnold <[RArnold@franklin-township.com](mailto:RArnold@franklin-township.com)>  
**Sent:** Friday, June 14, 2024 12:28 PM  
**To:** Jakubowski, Greg <[GJakubowski@buckeye.com](mailto:GJakubowski@buckeye.com)>; Potter, Eric <[EPotter@buckeye.com](mailto:EPotter@buckeye.com)>; Carrizales, Justin <[JCarrizales@buckeye.com](mailto:JCarrizales@buckeye.com)>  
**Subject:** Re: Franklin Fire

**WARNING: This email originated outside of Buckeye Partners, L.P.  
DO NOT CLICK links or attachments unless you recognize the sender and know the content is safe.  
If you have any questions please contact the Buckeye Partners service desk.**

Greg!

I attached the quote I got for the equipment. If that is not enough detail about product information, let me know and I'll see what I can do. If you reach out to Mark at All-American (vendor quote attached), he would be happy to help as well. He is a good dude and always bends over backward for us! As far as the Bulk Fuel Storage Emergency class goes, it may have to wait until next year due to timing and logistics. The class is 7/15 - 7/19 and last I heard may have been canceled due to lack of applicants. I'll keep you posted on that when I hear from Justin.

Thanks again for all of the help and support!

Respectfully,

*Bob Arnold*

Fire Chief  
Franklin Fire  
Office: 614-279-1537  
Cell: 614-214-8442



**From:** Jakubowski, Greg <[GJakubowski@buckeye.com](mailto:GJakubowski@buckeye.com)>  
**Sent:** Wednesday, June 12, 2024 10:52 AM  
**To:** Robert Arnold <[RArnold@franklin-township.com](mailto:RArnold@franklin-township.com)>; Potter, Eric <[EPotter@buckeye.com](mailto:EPotter@buckeye.com)>  
**Cc:** Carrizales, Justin <[JCarrizales@buckeye.com](mailto:JCarrizales@buckeye.com)>  
**Subject:** RE: Franklin Fire Proposal

Chief,

Are you able to give us a specific equipment list that you are looking for, and we can look at purchasing it through our vendors? That may be easier than donating the funds.

I'm discussing with the project manager (Justin) and Eric to see the easiest way to fund sending your officers to TEEEX. One possibility is that Justin may be able to make the reservations for you and charge it to his account directly which could include registration, airfare, hotel and rental car again vs. trying to give a donation.

Greg Jakubowski, PE, CSP, FSFPE  
Sr. Engineer – Fire Protection  
Asset Reliability and Engineering Services (ARES)  
Buckeye Partners, L.P.  
The Buckeye Building | 6161 Hamilton Blvd. | Allentown PA 18106  
Mobile – 484-553-9538  
"I'm bored by 20<sup>th</sup> Century solutions to 21<sup>st</sup> Century Challenges" – Dave Wakeling



**From:** Robert Arnold <[RArnold@franklin-township.com](mailto:RArnold@franklin-township.com)>  
**Sent:** Friday, May 31, 2024 10:47 AM  
**To:** Potter, Eric <[EPotter@buckeye.com](mailto:EPotter@buckeye.com)>; Jakubowski, Greg <[GJakubowski@buckeye.com](mailto:GJakubowski@buckeye.com)>  
**Subject:** Franklin Fire Proposal



**WARNING: This email originated outside of Buckeye Partners, L.P.  
DO NOT CLICK links or attachments unless you recognize the sender and know the content is safe.  
If you have any questions please contact the Buckeye Partners service desk.**

Gentlemen,

Thank you again for your continued support! We just took all of our PFAS foam to the Ohio Fire Academy and left it in the hands of the State of Ohio! We are now loaded and in service and ready to respond with PFAS free foam, mostly thanks to you!

I have attached a letter of request for equipment very like the last time when you provided the foam. Thanks again for meeting with us and continuing our relationship. Let me know what you think, and I am happy to adjust or alter the request as you feel fit. Have a great summer and let me know if I can help with the new tank project in any way.

Respectfully,

*Bob Anuold*

Fire Chief  
Franklin Fire  
Office: 614-279-1537  
Cell: 614-214-8442



**CONFIDENTIALITY NOTICE:**

The contents of this email message and any attachments are intended solely for the addressee(s) and may contain confidential and/or privileged information and may be legally protected from disclosure. If you are not the intended recipient of this message or their agent, or if this message has been addressed to you in error, please immediately alert the sender by reply email and then delete this message and any attachments. If you are not the intended recipient, you are hereby notified that any use, dissemination, copying, or storage of this message or its attachments is strictly prohibited.